

STOPE BOOK

NORTH MODOC

23-28

R.31

R
31
5

333

334

335

336

337

338

339

340

341

342

343

344

375

374

373

372

371

370

369

368

SPEC. 2600
H.O. 2400SPEC. 2600
H.O. 2400SPEC. 2600
H.O. 2400SPEC. 2600
H.O. 2400SPEC. 2800
H.O. 2800

R
31
5

333

334

335

336

337

338

339

340

341

342

343

344

375

374

373

372

371

370

369

368

SPEC. 2600
H.O. 2400SPEC. 2600
H.O. 2400SPEC. 2400
H.O. 2400SPEC. 2600
H.O. 2600SPEC. 2800
H.O. 2800

R
31
5

333

334

335

336

337

338

339

340

341

342

343

346

344

375

374

373

372

371

370

369

368

2600
SPEC. 2400

2400
SPEC. 2400

2400
SPEC. 2400

2600
SPEC. 2600

2800
SPEC. 2800

R
31
5☐ PRO-APPAPR 24 1952
TUEL - BLANK

333

334

335

336

337

338

339

340

341

342

343

344

375

374

373

372

371

370

369

368

SPEC. 2600

SPEC. 2400

SPEC. 2400

SPEC. 2400

SPEC. 2600
H.O.SPEC. 2800
H.O.

R
31
5 TUOLUMNE SH.☐ 2000-21JAN 2000 21
TOL 2300-21

332

334

335

336

337

338

339

340

341

342

343

344

375

374

373

372

371

370

369

368

SPEC. 2600
H.O. 2400SPEC. 2600
H.O. 2400SPEC. 2600
H.O. 2400SPEC. 2600
H.O. 2400SPEC. 2800
H.O. 2800

R
31
5

TUOLUMNE SH.

☐ 1000 1000Spec 2400 2500
Tupl 2300 10

333

334

335

336

337

338

339

340

341

342

343

344

375

374

373

372

371

370

369

368

SPEC.
H.O. 2600
2400SPEC.
H.O. 2600
2400SPEC.
H.O. 2600
2400SPEC.
H.O. 2600
2400SPEC.
H.O. 2800
2400

R
31
5TUOLUMNE SH.
EL. 3985.25

□ 1000 ft.

Spec. 2500. 19
Tuol. 2500. 19

333 334 335 336 337 338 339 340 341 342 343 344

375

374

373

372

371

370

369

368

H.O. 2400-28
(54 floor)SPEC. 2400
H.O. 2400SPEC. 2400
H.O. 2400SPEC. 2400
H.O. 2400SPEC. 2600
H.O. 2600SPEC. 2800
H.O. 2800

R
31
5

TUOLUMNE SH.

□ 1000-1000

Spec. 2400-112
TUOL 2800-13

335

334

333

332

331

330

329

328

327

326

325

324

375

374

373

372

371

370

369

368

2400-24

SPEC. 2600

SPEC. 2400

SPEC. 2600

SPEC. 2400

SPEC. 2600

SPEC. 2800

Two volume
See R31-Vol. 4

1000
1000
1000

TUPL 2300-17

333

334

335

336

337

338

339

340

341

342

343

375

374

373

372

371

370

369

368

TUEL 2300-17

2400-23

SPEC. 2600

SPEC. 2400

SPEC. 2600

SPEC. 2400

SPEC. 2600
H.O.SPEC. 2800
H.O.

R
31
5 Tuolumne
 1912

Spec 2900 1912

333

334

335

336

337

338

339

340

341

342

343

375

374

373

372

371

370

369

368

TUOL - 2300-10

2400-22

SPEC. 2600

SPEC. 2400

SPEC. 2600

SPEC. 2400

SPEC. 2600
H.O.SPEC. 2800
H.O.

200 Tolumna

1000 P.M.E.

333

334

335

336

337

338

339

340

341

342

343

344

375

374

373

372

371

370

369

368

TYPE 2800-15

2400-21

2600
SPEC. H.O.
24002400
SPEC. H.O.
2400SPEC. H.O.
2400SPEC. H.O.
2600SPEC. H.O.
2800

R
31
5☒ Tuolumne☐ 2900 1/2

5000 2900 1/2

334

335

336

337

338

339

340

341

342

343

344

375

374

373

372

371

370

369

368

Type 2500-14

2400-20

SPEC. 2400

SPEC. 2400

SPEC. 2400

SPEC. 2600

SPEC. 2800

R
31
5☐ Tulum☐ 2000 ft

1900 2400 1600

333

334

335

336

337

338

339

340

341

342

343

344

375

374

373

372

371

370

369

368

Twp 2300-13

2400-19

SPEC. 2400

SPEC. 2600

SPEC. 2400

SPEC. 2600

SPEC. 2800

R
31
5 Tuolumne
 1900/1901

Spec. 2400 1876

375

374

373

372

371

370

369

368

TWO 2800.12

2400-18

SPEC. 2400

SPEC. 2400

SPEC. 2400

SPEC. 2600

SPEC. 2800

R
31
5 Volume
 2000 AD

Spec. 2000 AD

333 334 335 336 337 338 339 340 341 342 343 344

375

374

373

372

371

370

369

368

Tutor 2300-11

2400-17

SPEC. 2600

SPEC. 2400

SPEC. 2600

SPEC. 2400

SPEC. 2600
H.O.SPEC. 2800
H.O.

R
31
5 Tolumne 2nd 7th

Spec. 2400 12th

333

334

335

336

337

338

339

340

341

342

343

344

375

374

373

372

371

370

369

368

High Ore 2400 16" Fl.
TUEL 2302-10

2600
2400
2200
2000
1800
1600
1400
1200
1000
800
600
400
200
0

2600
2400
2200
2000
1800
1600
1400
1200
1000
800
600
400
200
0

SPEC.
2400

SPEC.
H.O. 2600

SPEC.
H.O. 2800

R
31
5 Tolouine 1000 10.12

1000 10.12

333

334

335

336

337

338

339

340

341

342

343

344

375

374

373

372

371

370

369

368

2400

High Ore

TUEL 2300-9

2400

15th FlSPEC.
2400SPEC.
2400SPEC.
H.O. 2600SPEC.
H.O. 2800

R
31
5

2500 Tuolumne



Spec. 2400 110

333 334 335 336 337 338 339 340 341 342 343 344

375

374

373

372

371

370

369

368

High Ore 2400 14" Fl
 TUL 2400-B

2600
 2400
 2400

2400
 2400

SPEC.
 2400

SPEC.
 H.O. } 2600

SPEC.
 H.O. } 2800

R
31
5 Tuolumne.

Spec. 2400 10 22

333 334 335 336 337 338 339 340 341 342 343 344

375

374

373

372

371

370

369

368

2400

High Ore 2400 13th Fl
TOL 2300-7SPEC.
2400SPEC.
2400SPEC.
H.O. 2600SPEC.
H.O. 2800

R
31
5

322 Volume



Spec. 322 323

375

374

373

372

371

370

369

368

2400

High Ore

2400

12" Fl

TUEL, 23 APR 62

SPEC.
2400SPEC.
2400SPEC.
H.O. } 2600SPEC.
H.O. } 2800

R
31
5

333 Volume

333
334
335

Spec 2400 12

333 334 335 336 337 338 339 340 341 342 343 344

375

374

373

372

371

370

369

368

2400

High Ore 2400 11th Fl.
TOL 2300-5

2400
SPEC.
H.O. } 2600
SPEC.
H.O. } 2800

R
31
5 Volume 1000

1000 1000 1000

375

374

373

372

371

370

369

368

240512

High Ore 2400 10th Fl
 TUEL 2388.4

SPEC.
2400SPEC.
2400SPEC.
H.O. } 2600SPEC.
H.O. } 2800

R
31
5

328 Voluntary

1700-1800 1800-1900

1700-1800 1800-1900

333 334 335 336 337 338 339 340 341 342 343 344

375

374

373

372

371

370

369

368

2400

High Ore 2400 9th Fl.
TOD 23-11-3

2400
SPEC.
2400

2400
SPEC.
2400

SPEC } 2600
H.O. }

SPEC } 2800
H.O. }

R
31
5 Tuolumne AUG 27/02

1900 1900 1900

375

374

373

372

371

370

369

368

2400

High Ore 2400
TUEL 2500-2

8" Fl

SPEC.
2400SPEC.
2400SPEC.
H.O. } 2600SPEC.
H.O. } 2800

Toolhouse

100 & 100

1000 2000 4000

375

374

373

372

371

370

369

368

2400 R.

High Ore

2400


7th Fl

TUEL 2400-1

SPEC.
2400SPEC.
2400SPEC.
H.O. } 2600SPEC.
H.O. } 2800

R
31
5

Tuolumne Sh.
El. 2435.20



APPL. 100

TUOLUMNE 2300-SILL

Tuolumne 2200 Sill

2200 2300

375

374

373


372

371

370

369

368



2400

High Ore
Tuolumne2400 6" F1
2300 Sill 51.3533.50

0012
2400
2500R
31
5

Tudumne

2400

2400 2500

333 334 335 336 337 338 339 340 341 342 343 344

375

374

373

372

371

370

369

368

2400

High Ore

2400

5" F-L

2400
SPEC.
H.O.

2400
SPEC.
H.O.

2600
SPEC.
H.O.

2800
SPEC.
H.O.

2200

R
31
5

2200 Tuckey

D
2200

2200 12

333 334 335 336 337 338 339 340 341 342 343 344

375

374

373

372

371

370

369

368




High Ore 2400 4th Fl.

2400
SPEC.
H.O.

2400
SPEC.
H.O.

2600
SPEC.
H.O.

2800
SPEC.
H.O.



SPECULATOR

2400 SILL



High Ore
Speculator

2400 3rd Fl.
2400 Sill

SPEC.
2400

SPEC.
H.O. } 2600

SPEC.
H.O. } 2800

SPEC
2400R
31
5SPEC
2400SPEC
2400

375

374

373

372

371

370

369

368



High Ore

2400

2nd Fl
 2400
 2400
 2400

 H.O.
 2400

 SPEC
 H.O. } 2600

 SPEC
 H.O. } 2800

SPEC.
2400R
31
5SPEC.
2400

Tolumne

375

374

373

372

371

370

369

368

2600
2400

R
S
I
5

H.O.
2400

SPEC } 2600
H.O. }

SPEC } 2800
H.O. }

High Ore

2400


1st Fl

24C5R

2200

R
31
5SPEC.
2400

Toluene



High Ore

2400

Sill

375

375

374

373

372

371

370

369

368

11.0.
2400

SPEC } 2600
H.O. }

SPEC } 2800
H.O. }

2200

R
31
5H.O.
2400

Twolurnre

333 334 335 336 337 338 339 340 341 342 343 344

375

374

373

372

371

370

369

368

SPEC } 2600
H.O. }SPEC } 2800
H.O. }

2200

R
31
5H.O.
2400

Tulurine

SPEC } 2600
H.O. }SPEC } 2800
H.O. }

H.C.
2400R
31
5H.C.
2400

TWOHUTTING



333

334

335

336

337

338

339

340

341

342

343

344

375

374

373

372

371

370

369

368

2-400

SPEC } 2600
H.O. }SPEC } 2800
H.O. }

H.C.
2200R
31
5H.C.
2400

Tulumia.



333

334

335

336

337

338

339

340

341

342

343

344

375

374

373

372

371

370

369

368

2600
H₂O
2-400R
S
5SPEC
H₂O
2600SPEC
H₂O
2800

R
31
5
H.O.
2400

Täulukko

330

334

335

336

337

338

339

340

341

342

343

344

375

374

373

372

371

370

369

368

SPEC
H.O. } 2400SPEC
H.O. } 2600SPEC
H.O. } 2800

R
31
5
H.O.
2400

Tulunio

H.O.
2400

333 334 335 336 337 338 339 340 341 342 343 344

375

374

373

372

371

370

369

368

2600
2400

R
S
5

SPEC } 2600
H.O. }

SPEC } 2800
H.O. }

333

334

335

336

337

338

339

340

341

342

343

344

375

374

373

372

371

370

369

368

SPEC
H.O. } 2600SPEC
H.O. } 2600SPEC
H.O. } 2800

R
31
5
H.O.
2400

Volume

3/4

333

334

335

336

337

338

339

340

341

342

343

344

375

374

373

372

371

370

369

368

SPEC
H.O. } 2400SPEC
H.O. } 2600SPEC
H.O. } 2800

H.C.
2200R
31
5H.C.
2400 Tinkering 34/6

374

373

372

371

370

369

368

R
31
5

SPEC } 2600
H.O. }

Spec } 2800
H.O. }

R
31
5
H.O.
2400

Tolumne



333 334 335 336 337 338 339 340 341 342 343 344

375

374

373

372

371

370

369

368

2400
2400R
51
5SPEC } 2600
H.O. }SPEC } 2800
H.O. }

H.O.
2200R
31
5H.O.
2400~~XXX~~ Tolumine

2616

333 334 335 336 337 338 339 340 341 342 343 344

375

374

373

372

371

370

369

368

2400

R
31
5SPEC } 2600
H.O. }SPEC } 2800
H.O. }

H.O.
2200R
31
5H.O.
2400

Volume

12/26/6

333 334 335 336 337 338 339 340 341 342 343 344

375

374

373

372

371

370

369

368

Piano

High Ore

2600

15th Fl.SPEC } 2600
H.O. }SPEC } 2800
H.O. }

 Tulumne

R
31
5
H.O.
2400

H.O.
2400

10/10/10

333

334

335

336

337

338

339

340

341

342

343

344

375

374

373

372

371

370

369

368

High Ore

2600

14" P.I.

2400

SPEC } 2600
H.O. }SPEC } 2800
H.O. }

Column

2200

R
31
5

H.O.
2400

2000

333 334 335 336 337 338 339 340 341 342 343 344

375

374

373

372

371

370

369

368

High Ore

2600

13th Fl.SPEC } 2600
H.O. }SPEC } 2800
H.O. }

R
31
5
H.C.
2400H.C.
2400 Tachyrrhina

12.12

12.12

333

334

335

336

337

338

339

340

341

342

343

344

375

374

373

372

371

370

369

368



High Ore

2600

12th Fl.

2-400

SPEC } 2600
H.O. }SPEC } 2800
H.O. }

51312

2200

H.O.
2400

Volume

1/2

1/2

333 334 335 336 337 338 339 340 341 342 343 344

375

374

373

372

371

370

369

368

High Ore

2600

11th Fl.High Ore
2600
High Ore
2600R
31
5SPEC
H.O. } 2600SPEC
H.O. } 2800

54323

2200

H.O.
2400

2200 Taofumina

10/10
17/10

375

374

373

372

371

370

369

368

High Ore

2600

10th Fl.2600
2400R
31
5SPEC } 2600
H.O. }SPEC } 2800
H.O. }

54323

2200

H.O.
2400

Twolumne

333 334 335 336 337 338 339 340 341 342 343 344

375

374

373

372

371

370

369

368

High Ore 2600 9th FlSPEC
H.O. } 2600SPEC
H.O. } 2800

543232

H.O.
2200H.O.
2400

Tulume

2
1/2

333 334 335 336 337 338 339 340 341 342 343 344

375

374

373

372

371

370

369

368

SPEC
H.O. } 2400SPEC
H.O. } 2600SPEC
H.O. } 2800High Ore 2600 8th Fl.

5432R

2200

H.O.

2400

TuoJumne

12/12/12
78

333

334

335

336

337

338

339

340

341

342

343

344

375

374

373

372

371

370

369

368


High Ore

2600

7th Fl.SPEC } 2600
H.O. }SPEC } 2800
H.O. }

5133R
 Tuolumne
 2200

H.O.
 2400



Tuolumne Sh.

2050-50

3600-40

2400

Tuolumne

2400

Sill

2600
2400

R
31
5

SPEC
H.O. 2600

SPEC
H.O. 2800

High Ore
Tuolmine

2600
2400

6" Fl.
Sill ELEV. 2655.59



2400

2200

543210

H.O.
2400

Töölumie

375

374

373

372

371

370

369

368

High Ore

2600

5th Fl.SPEC } 2600
H.O. }SPEC } 2800
H.O. }

Tuluntia
2200Tuluntia
2200

5152R

HO
2400

2200 Tuluntia

B 4112R
7-22

333 334 335 336 337 338 339 340 341 342 343 344

375

374

373

372

371

370

369

368



High Ore

2000

4th Fl.SPEC 2600
H.O.SPEC 2800
H.O.

Tulume
2400Tulume
2200

5132R

HO
2400

Tulume

HO
2400

333 334 335 336 337 338 339 340 341 342 343 344

375

374

373

372

371

370

369

368

High Ore 2600 3rd Fl.SPEC. 2600
H.O.SPEC. 2800
H.O.

H.O.
2400H.O.
2400

5132R

H.O.
2400

6274 Tuolumne

B. PICK.
104

133 334 335 336 337 338 339 340 341 342 343 344

375

374

373

372

371

370

369

368



High Ore

2600

2nd FlSPEC
H.O. 2600R
31
5SPEC
H.O. 2600SPEC
H.O. 2800

H.O.
2400H.O.
2400

533R

H.O.
2400

H.O. Tooling

H.O.
2400

333 334 335 336 337 338 339 340 341 342 343 344

375

374

373

372

371

370

369

368



High Ore

2600

1st Fl.SPEC
H.O. 2600SPEC
H.O. 2800



SPECULATOR 2600-SILL

Toluca

H.O.
2400H.O.
2400H.O.
2400

333 334 335 336 337 338 339 340 341 342 343

375

374

373


372

371

370

369

368



High Ore
Speculator

2600
2600

Sill
Sill

SPEC 2600
H.O.

SPEC 2800
H.O.

H.O.
2400H.O.
2400

533R

H.O.
2400SPEC.
H.O.
2600☒ Toluene

333

334

335

336

337

338

339

340

341

342

343

344

375

374

373

372

371

370

369

368

2600

R
31
5SPEC
H.O. 2800

9/10-75

H.O.
2400H.O.
2400

5315

H.O.
2400SPEC. }
H.O. } 2600

Töölumme

332 334 336 338 340 342 344

375

374

373

372

371

370

369

368

2800

R 31 5

SPEC 2800
H.O.

Toluene
2400Toluene
2400

533R

H.O.
2400SPEC.
H.O.
2600☒ Toluene

333 334 335 336 337 338 339 340 341 342 343 344

375

374

373

372

371

370

369

368

2800

R 31 5

SPEC 1 2800
H.O.

H.O. 2400

H.O. 2400

533R

H.O. 2400

SPEC. H.O. 2600

Tuolumne

333

334

335

336

337

338

339

340

341

342

343

344

375

374

373

372

371

370

369

368

2800

R
31
5SPEC
H.O. 2800

H.O.
2400H.O.
2400

532R

H.O.
2400SPEC.
H.O. } 2600

Tubumna

333 334 335 336 337 338 339 340 341 342 343 344

375

374

373

372

371

370

369

368

2800

R 31 5

SPEC. H.O. 2800

VOLUME
2400VOLUME
2200

5325

H.O.
2400SPEC. } 2600
H.O. }

2500 Tuolumne

333

334

335

336

337

338

339

340

341

342

343

344

375

374

373

372

371

370

369

368

1100 - 70

SPEC 1 2800

R 31 5

SPEC 1 2800
H.O.

H.O.
2400H.O.
2400

5132R

H.O.
2400SPEC. } 2600
H.O. }

2400 Tolumne

333

334

335

336

337

338

339

340

341

342

343

344

375

374

373

372

371

370

369

368

2800

R
31
5SPEC
H.O. 2800

Toluene
2400Toluene
2400

532R

H.O.
2400SPEC. } 2600
H.O. }

Toluene

333

334

335

336

337

338

339

340

341

342

343

344

375

374

373

372

371

370

369

368

2800

R 31 5

SPEC 1 2800

H.O.
2400H.O.
2400

5632R

H.O.
2400SPEC.
H.O. } 2600

2400 Volume

333 334 335 336 337 338 339 340 341 342 343 344

375

374

373

372

371

370

369

368

SPEC 2800

R 31 5

SPEC 2800
H.O.

H.O. 2400

H.O. 2400

K 335

H.O. 2400

SPEC. H.O. 2600

K222 To column 2

333 334 335 336 337 338 339 340 341 342 343 344

375

374

373

372

371

370

369

368

2800

R
31
5SPEC
H.O. 2800

H.O. 2400

H.O. 2400

K 335

H.O. 2400

SPEC. H.O. 2600

T. volume

333 334 335 336 337 338 339 340 341 342 343 344

375

374

373

372

371

370

369

368

SPEC
H.O. 2800R
31
5SPEC
H.O. 2800

17-15

H.O.
2400H.O.
2200K
3
5H.O.
2400SPEC.
H.O. } 2600

Tolumne

333 334 335 336 337 338 339 340 341 342 343 344

375

374

373

372

371

370

369

368

2800

R
31
5SPEC
H.O. 2800

 Granite Mt.

H.O.
2400

H.O.
2200

K
323
5

H.O.
2400

SPEC. H.O.
2600

 Tulumne

333

334

335

336

337

338

339

340

341

342

343

344

375

374

373

372

371

370

369

368

SPEC
H.O. 2800R
31
5SPEC
H.O. 2800



Granite Mt.

H.O.
2400H.O.
2200K
325H.O.
2400SPEC. H.O.
2600

Tuluma

333 334 335 336 337 338 339 340 341 342 343 344

375

374

373

372

371

370

369

368

SPEC 1
H.O. 2800R
31
5SPEC 1
H.O. 2800



Granite off.

H.O.
2400

2200

5323K

H.O.
2400SPEC. 2600
H.O.

Volume

333

334

335

336

337

338

339

340

341

342

343

344

375

374

373

372

371

370

369

368

SPEC
H.O. 2800R
31
5SPEC
H.O. 2800

 Granite State

2400

K355

H.O.
2400

SPEC. } 2600
H.O. }

 H_2O

333

334

335

336

337

338

339

340

341

342

343

344

375

374

373

372

371

370

369

368

JOURNAL
2800R
31
5SPEC
H.O. 2800

2800-10

323

H.O.
2400H.O.
2400

5323K

H.O.
2400SPEC. H.O.
2600

220 Tuafunua

333

334

335

336

337

338

339

340

341

342

343

344

375

374

373

372

371

370

369

368

Mount
2800R
31
5SPEC
H.O. 2800

1120-9

 *Scientific* *Tudorine*

533K

H.O.
2400SPEC. 2600
H.O.

333

334

335

336

337

338

339

340

341

342

343

344

375

374

373

372

371

370

369

368

280564

High Ore

2800

8" FI

SPEC
H.O. 2800R
31
5

322 *Gracile* 10

H.O.
2400

H.O.
2400

H.O.
2400

H.O.
2400

SPEC. 2600
H.O.

220 *Tuolumne*

331

334

335

336

337

338

339

340

341

342

343

344

375

374

373

372

371

370

369

368

2800 SCL

High Ore

2800

7th Fl.2800
H.O.R
31
5SPEC
H.O. 2800

 322H.O.
2400H.O.
2600

5232K

H.O.
2400SPEC. 2600
H.O. 322

333 334 335 336 337 338 339 340 341 342 343 344

375

374

373

372

371

370

369

368

2800

High Ore

2800

6" Fl

2800
H.O.R
31
5SPEC
H.O. 2800



Organite Nr.

H.O.
2400H.O.
2200H.O.
2400H.O.
2400SPEC. 2600
H.O.

Organite

375

374

373

372

371

370

369

368

High Ore

2800


5th Fl.

280260

2800
H.O.R
31
5SPEC
H.O. 2800

H.O.
2400Tuolumne
2600

51533K

H.O.
2400SPEC. 2600
H.O.Tuolumne Sh.
3432.46

Tuolumne

2600

Sill

Speculator

334 335 336 337 338 339 340 341 342 343 344

375

374

373

372

371

370

369

368

Volume
2600

R
31
5

SPEC
H.O. 2800

7

260054

High Ore 2800 4th Fl.
Tuolumne 2600 61343249

Granite, N.Y.

S.P.N.

Total
2800Total
2400Total
2200

5833K

H.O.
2400SPEC. 2600
H.O.

33 334 335 336 337 338 339 340 341 342 343 344

375

374

373

372

371

370

369

368

R
31
5

SPEC
H.O. 2800

2800-4

High Ore 2800 3rd Fl



Syllabus 1911



H.O. 2400

H.O. 2400

H.O. 2200

H.O. 2200

H.O. 2400

SPEC. 2600
H.O.

375

374

373

372

371

370

369

368

R
31
5SPEC
H.O. 2800

High Ore

2800

2nd Fl

2800

George D. M.

2600

2400

2200

533K

H.O.
2400

SPEC. } 2600
H.O.

375

374

373

372

371

370


369

368

High Ore

2800

1st Fl.SPEC
H.O. 2800



H.O. 2400

H.O. 2400

H.O. 2400

H.O. 2400

H.O. 2400

H.O. 2400

H.O. 2400

H.O. 2400

H.O. 2400

H.O. 2400

H.O. 2400

H.O. 2400

H.O. 2400

H.O. 2400

Badger Speculator 2800 Sill

333 334 335 336 337 338 339 340 341 342 343 344

375

374

373

372

371



370

369

368

R
31
5

Spec
H.O. 2800



High Ore Speculator 2800 Sill 2800 Sill

H.O. 2600

H.O. 2400

H.O. 2200

H.O. 2000

H.O. 2400

SPEC. H.O. 2600

SPEC. H.O. 2800

H.O. 2200

332

333

334

335

336

337

338

339

340

341

342

343

344

375

374

373

372

371

370

369

368

R
31
5

H.O. 2600

H.O. 2400

H.O. 2200

53232

H.O. 2400

SPEC. 2600
H.O.SPEC. 2800
H.O.

11819R

333

334

335

336

337

338

339

340

341

342

343

344

375

374

373

372

371

370

369

368

R
31
5

322

323

324

325

326

327

328

329

330

331

332

333

H.O.
2400H.O.
2400H.O.
2400H.O.
2400H.O.
2400SPEC.
H.O. } 2600SPEC.
H.O. } 2800

333

334

335

336

337

338

339

340

341

342

343

344

375

374

373

372

371

370

369

368

R
31
5

322

323

324

325

326

327

328

329

330

331

332

TOTAL
2600TOTAL
2400TOTAL
2200H.O.
2400

SPEC. H.O. 2600

SPEC. H.O. 2800

R
31
5

SPEC. 2800
H.O.
SPEC. 2600
H.O.
H.O. 2400
2200
2400
2600

R
31
5

